

The Significance of 3D Imaging in Enhancing Oral Health and Diagnostic Accuracy

By:

Ahmed Yahya Ahmed Kawshan

Turki Saleh Saeed Alshehri

Qasem Mahmood Mousa Asiri

Dental Technology



The objective of diagnostic and treatment planning in dentistry is to determine an appropriate treatment plan by assessing the initial condition of the patient's anatomy using several imaging sources. Historically, the imaging sources, such as x-rays and pictures, have primarily come from two-dimensional film-based systems. However, in more recent times, they have also been obtained using 2D digital imaging systems (Pauwels, 2020). Dental imaging is utilized for the development of different treatment strategies, tracking the progress of treatment, and assessing the results of treatment.

Technological improvements in modern dentistry have transformed diagnostic and treatment techniques, leading to increased precision and efficiency. 3D imaging is a notable invention that provides dental professionals with exceptional insights into the complex architecture of the mouth cavity. Contrary to standard 2D imaging methods like X-rays, 3D imaging offers a detailed three-dimensional perspective of dental structure. This allows dental professionals to detect issues with exceptional accuracy and plan treatments with precise precision (Maken & Gupta, 2023).

The implementation of three-dimensional (3D) technology has revolutionized the profession of dentistry by enabling precise and comprehensive imaging of dental structures. This state-of-the-art equipment offers a thorough examination of the teeth, jawbone, and other tissues, allowing dentists to make accurate diagnoses and create efficient treatment strategies.

The implementation of 3D imaging technology in dentistry has yielded numerous advantages that go beyond simple diagnostic capabilities. Through the use of advanced imaging techniques like cone beam computed tomography (CBCT) and intraoral scanners, dentists can thoroughly examine oral health, revealing hidden diseases and anatomical differences that may not be detected using traditional methods (Hegde et al., 2018). This enhanced degree of diagnostic expertise not only enables more precise treatment planning but also empowers patients to make well-informed decisions about their oral healthcare journey.

According to (Shaikh et al., 2021), the adaptability of 3D imaging spans across several branches of dentistry, including implantology, orthodontics, endodontics, and periodontics. 3D imaging is crucial in optimizing treatment outcomes in each of these fields by offering essential insights into



patient-specific anatomical factors. 3D imaging plays a crucial role in providing tailored and efficient oral health care solutions, whether it involves accurately positioning dental implants, assessing complex root canal structures, or arranging orthodontic treatments with great attention to detail.

Moreover, the incorporation of 3D imaging into regular dental procedures has resulted in notable progress in patient care and safety. 3D imaging is a revolutionary advancement in diagnostic radiology that allows for the acquisition of precise anatomical information while limiting radiation exposure. This technology prioritizes patient well-being and ensures the best possible outcomes. The decrease in radiation dosage is especially beneficial for susceptible patient groups, such as youngsters and pregnant women, where the priority is to minimize radiation exposure.

1. Overview of 3D Dental X-rays

In the ever-changing field of modern dentistry, imaging technologies have experienced significant advancements, with the emergence of three-dimensional (3D) imaging as a revolutionary tool for diagnosing and planning treatments. Contrary to conventional two-dimensional (2D) imaging techniques such as X-rays, which only show flat images of dental structures, 3D imaging provides a complete and detailed view of the oral cavity in three dimensions (Sankar & Ramesh, 2021). This technological development allows dental experts to examine the complex anatomical features with exceptional clarity and accuracy, transforming the approach to diagnosing and treating oral health disorders.

Conventional 2D imaging methods, like intraoral and panoramic X-rays, have been widely used in dentistry diagnostics for a long time. These techniques provide important information about dental diseases and treatment requirements. Nevertheless, these methods have intrinsic limitations in their capacity to fully comprehend the intricate nature of dental anatomy, frequently leading to incomplete evaluations and diagnostic uncertainties. On the other hand, 3D imaging technologies, such cone beam computed tomography (CBCT) and intraoral scanners, address these constraints by generating three-dimensional representations of dental anatomy from various perspectives (Kaasalainen et al., 2021).



CBCT has become widely accepted in dentistry because it can generate high-resolution, three-dimensional pictures of the craniofacial region while minimizing radiation exposure. CBCT

allows practitioners to see tooth structures, bone morphology, and soft tissues with exceptional clarity and precision by recording precise anatomical information in a single scan. This holistic perspective not only improves the ability to diagnose but also simplifies the process of creating accurate treatment plans for various dental operations, such as implant placement, orthodontic treatment, and endodontic therapy.



Figure (1): Cone Beam Computed Tomography

Furthermore, 3D imaging provides notable benefits compared to 2D modalities in terms of spatial resolution, anatomical coverage, and diagnostic accuracy. Traditional X-rays offer a two-dimensional view of dental structures, but 3D imaging provides a three-dimensional view that allows for the examination of intricate anatomical characteristics from various angles. This enables practitioners to identify problems and arrange interventions with increased certainty. In addition, the use of 3D imaging decreases the necessity for many exposures and lowers the chance of diagnostic mistakes, therefore improving patient safety and optimizing treatment results.



2. Applications of 3D Imaging in Oral Health

SCIENTIFIC REPORTS
INTERNATIONAL

The use of three-dimensional (3D) imaging technologies into dentistry has fundamentally transformed multiple facets of oral health care, providing unparalleled understanding and accuracy in the areas of diagnosis and treatment planning. 3D imaging is crucial in various fields, including:

- Implant Planning

Implant dentistry is a prominent field where 3D imaging is extensively used in oral health. 3D imaging techniques, such as cone beam computed tomography (CBCT), offer dental practitioners precise data on bone structure, density, and anatomical landmarks in the maxillofacial region (Jacobs et al., 2018). This abundance of information is crucial for accurate implant planning, as it enables practitioners to evaluate the caliber and amount of accessible bone, identify essential structures to avoid, and ascertain the ideal positioning of dental implants. 3D imaging allows for precise placement of implants by visualizing the three-dimensional interaction between bone and other structures.

- Orthodontics

Orthodontists employ advanced 3D imaging techniques, such as CBCT (cone beam computed tomography) and intraoral scanners, to acquire very detailed images of the teeth, jaws, and adjacent soft tissues. These images allow orthodontists to assess tooth alignment, bone linkages, and facial aesthetics with exceptional accuracy, making it easier to create personalized treatment programs based on each patient's specific anatomical features. In addition, the use of 3D imaging enables orthodontists to predict possible difficulties, such as impacted teeth or skeletal differences, and develop effective solutions to address them, thereby improving treatment results and patient contentment (Nasseh & Al-Rawi, 2018).

- Endodontics

3D imaging is essential in endodontic practice for detecting intricate root canal architecture and evaluating the efficacy of root canal therapies. Conventional two-dimensional (2D) radiography methods frequently offer restricted insights into the structure and spatial connections of root canal systems, resulting in difficulties in diagnosis and uncertainty in treatment. On the other



modern 3D imaging techniques like CBCT provide detailed and clear three-dimensional representations of the root canal structure, enabling endodontists to examine the interior

components of teeth with exceptional precision and intricacy. This improved visualization enhances the ability to diagnose root canal anomalies, such as curved or auxiliary canals, with more accuracy. It also allows for precise planning, instrumentation, and filling of the root canal during treatment. In addition, 3D imaging assists in the assessment of post-treatment results by enabling endodontists to evaluate the effectiveness of root canal fillings and detect any possible issues, such as overlooked canals or periapical lesions.

- Periodontics

Periodontists employ three-dimensional imaging techniques, such as cone beam computed tomography (CBCT), to evaluate the scope and intensity of periodontal disease, as well as the structure of the alveolar bone and periodontal ligaments. 3D imaging allows periodontists to visualize the three-dimensional structure of the periodontium, which helps them diagnose periodontal problems, evaluate bone loss, and design suitable therapeutic measures, such as scaling and root planning, periodontal surgery, or regenerative procedures. Furthermore, the utilization of 3D imaging facilitates the assessment of dental implants positioned in sites affected by periodontal disease, enabling periodontists to evaluate the stability of the implant, the levels of bone around the implant, and the existence of peri-implantitis. This thorough evaluation of gum health and the condition of dental implants allows periodontists to offer the best possible treatment for patients with gum disease, eventually safeguarding the overall health and functionality of the teeth and supporting tissues.

- Anatomical Abnormalities

According to (Shokri et al., 2019), another notable utilization of 3D technology in dentistry is the detection of anatomical anomalies or pathology. Conventional two-dimensional imaging techniques may occasionally offer restricted information, posing difficulties in effectively diagnosing specific illnesses. By employing three-dimensional imaging techniques such as cone beam computed tomography (CBCT), dentists can acquire a thorough and all-encompassing perspective of the oral and maxillofacial tissues. This facilitates enhanced diagnosis and assessment of diverse problems, including impacted teeth, cysts, tumors, and sinus anomalies.



3. Benefits of 3D Imaging

Technological breakthroughs in modern dentistry have brought us a new era characterized by precision, efficiency, and patient-centered treatment. One of the notable advancements is the use of three-dimensional (3D) imaging, which has significantly changed the approach of dental practitioners in diagnosing ailments, devising treatment strategies, and enhancing patient results. 3D imaging provides intricate and extensive visualizations of dental and craniofacial structures, offering a multitude of advantages that span across all areas of oral health care.

An important advantage of 3D technology in dentistry is its precise capability to identify cavities. Conventional X-rays frequently had difficulties in detecting little cavities, particularly in the molars or interdental spaces. Nevertheless, 3D imaging offers a more extensive perspective of the teeth, facilitating dentists in the detection of even the most minuscule cavities (Goldschmidt, 2023).

Furthermore, 3D technology is also beneficial in identifying tooth fractures, in addition to cavities. Diagnosing fractures can be difficult since they may not always be detectable with the naked eye or readily visible on 2D X-rays. Through the utilization of 3D technology, dentists are able to examine teeth from multiple perspectives and identify even the most inconspicuous fractures that may have otherwise gone unnoticed.

3D imaging in dentistry is highly advantageous since it greatly improves diagnostic accuracy through the provision of detailed and comprehensive views of oral and maxillofacial tissues. Contrary to conventional two-dimensional (2D) imaging methods, which may have restricted viewpoints and resolution, 3D imaging techniques like CBCT provide detailed volumetric reconstructions that allow practitioners to visualize anatomical structures from various angles and dimensions (Steffen et al., 2022). This enhanced visualization enables the identification of tiny alterations, irregularities, and deviations that can be overlooked with traditional imaging techniques, ultimately resulting in more precise diagnoses and enhanced treatment results.



Moreover, 3D imaging is crucial in treatment planning as it offers practitioners significant insights into the spatial relationships and anatomical markers of dental structures. By utilizing

3D images, dental professionals have the ability to accurately strategize and personalize therapeutic interventions, encompassing procedures such as dental implant implantation, orthodontic treatment, endodontic therapy, and periodontal surgery. By employing ways to visualize the three-dimensional structure of teeth, bones, and soft tissues, medical professionals can predict difficulties in treatment, improve surgical methods, and attain excellent clinical outcomes, so boosting the overall standard of patient care.

Another notable benefit of 3D imaging is its capacity to provide accurate implant positioning in the field of implant dentistry. 3D imaging modalities allow practitioners to evaluate the appropriateness of implant sites and detect important anatomical elements like nerves, sinuses, and neighboring teeth by providing precise data on bone density, volume, and morphology (Jacobs et al., 2018). This thorough evaluation enables accurate positioning of dental implants, reducing the likelihood of issues such as nerve damage, perforation of the sinus, and failure of the implant. In addition, the use of 3D imaging assists in creating surgical guidelines and treatment plans that improve the placement and stability of implants, hence boosting the long-term effectiveness and longevity of implant restorations.

Furthermore, 3D imaging provides tangible advantages such as reduced radiation exposure and enhanced patient communication. 3D imaging modalities, like CBCT, provide comprehensive images with substantially lower radiation exposure compared to typical CT scans. This reduces the risk to patient safety, especially for vulnerable groups like children and pregnant women. In addition, the use of 3D pictures allows medical professionals to effectively convey treatment plans, diagnoses, and treatment results to patients with improved clarity and accuracy. This enhances patient comprehension, involvement, and contentment with their dental treatment.

4. Challenges Face Applying of 3D Imaging

Three-dimensional (3D) imaging has become a revolutionary tool in the field of dental technology, providing numerous advantages in the diagnosis and treatment of oral health disorders. Nevertheless, in addition to these advantages, the incorporation and execution of 3D imaging in dentistry pose certain obstacles that need to be resolved in order to fully use its potential.

An important obstacle is the initial capital needed to acquire 3D imaging equipment, such as cone beam computed tomography (CBCT) devices or intraoral scanners. In addition, providing training to dental practitioners to effectively utilize these technology increases the total cost. The expense could potentially hinder smaller dental practices or clinics that have limited financial resources (Venkatesh & Elluru, 2017).

- Radiation Exposure

Although 3D imaging techniques such as CBCT provide reduced radiation doses compared to conventional CT scans, there is a concern regarding radiation exposure, especially for repeated or unneeded scans.

- Patient Acceptance and Comfort

Certain individuals may experience feelings of anxiety or claustrophobia when undergoing 3D imaging procedures, particularly in enclosed facilities such as CBCT equipment. It is crucial to prioritize patient comfort and address any concerns they may have regarding radiation exposure and safety in order to achieve their acceptance and compliance with suggested imaging techniques (Appukuttan, 2016).

- Interpretation and Analysis

Specialized knowledge and expertise are necessary for the interpretation and analysis of 3D pictures. Training is necessary for dental practitioners to effectively analyze intricate three-dimensional reconstructions and detect anomalies or diseases. Incorrect interpretation of images may result in diagnostic inaccuracies or wrong formulation of treatment plans.

5. The Significance of 3D Imaging in Enhancing Oral Health and Diagnostic Accuracy

Primarily, 3D imaging allows for more precise identification of dental diseases and anomalies. Contrary to conventional two-dimensional imaging techniques, which offer restricted views of dental anatomy, 3D imaging enables practitioners to observe oral structures from various angles and dimensions (Hung et al., 2020). This complete perspective allows for the identification of small alterations, abnormalities, and anomalies that would be overlooked with traditional



imaging techniques. Consequently, dental experts can make better-informed diagnostic judgments, resulting in the earlier identification and treatment of problems such as tooth caries, periodontal disease, cysts, tumors, and fractures.

According to (Shokri et al., 2019), 3D imaging is essential in meticulous treatment planning for diverse dental operations. Through precise evaluation of the mouth cavity's structure, such as teeth, roots, alveolar bone, and surrounding soft tissues, 3D imaging allows healthcare professionals to create personalized treatment strategies that cater to the individual anatomical features of each patient. In the field of dental implantology, the use of 3D imaging enables accurate assessment of bone dimensions and density. This information is crucial for practitioners to strategically plan the ideal positioning of implants, ensuring long-term effectiveness. Similarly, in the field of orthodontics, the use of 3D imaging allows for the evaluation of dental and facial structures, which helps in the development of treatment plans for orthodontic procedures to enhance alignment and aesthetics.

The precision of 3D imaging such as CBCT imaging is crucial in diagnosing a range of dental diseases, including early stage periodontal disease and complex root canal anatomy. This level of specificity guarantees that not only are diseases recognized, but they are comprehensively comprehended, enabling precise treatments that target the underlying source of the problem, rather than merely alleviating the symptoms. Consequently, patients receive care that is both effective and efficient, hence minimizing the necessity for subsequent treatments or modifications.

6. Advancements in 3D Dental Diagnostic Tools

An important progress has been the emergence of Cone Beam Computed Tomography (CBCT) technology, which has transformed dental imaging by offering precise three-dimensional visualizations of oral anatomy while minimizing radiation exposure. CBCT scanners employ cone-shaped X-ray beams and a rotating detector to obtain high-resolution images of the oral and maxillofacial area. These images allow dental specialists to observe dental anatomy, bone morphology, and soft tissue structures with great precision, which helps in making more precise diagnoses of dental diseases and anomalies.



According to (Shan et al., 2021) a notable progress is the incorporation of artificial intelligence (AI) and machine learning algorithms into 3D dental diagnostic systems. AI-driven software

solutions have the capability to evaluate 3D imaging data in order to detect patterns, anomalies, and areas of concern within dental pictures. Through the utilization of AI-powered algorithms, dental practitioners can accelerate the diagnostic procedure, enhance precision, and optimize the efficiency of treatment planning.

According to (Suese, 2020), the progress in intraoral scanning technology has revolutionized the process of acquiring and utilizing dental impressions for diagnostic and treatment planning.

Intraoral scanners employ optical scanning technology to acquire precise digital impressions of the teeth and oral tissues, obviating the necessity for conventional messy and painful impression materials. The integration of these digital impressions with 3D imaging data allows for the smooth incorporation of comprehensive digital treatment planning and simulation for many operations, including orthodontic therapy, dental restorations, and implant insertion.

Conclusion

The advent of 3D technology has revolutionized the profession of dentistry, offering a multitude of advantages for both patients and practitioners. Through the utilization of sophisticated imaging techniques, dentists are able to acquire a thorough three-dimensional representation of a patient's dental anatomy. This enables them to gain a more precise and detailed comprehension of any oral health concerns.

By utilizing 3D technology, dentists are able to generate virtual representations of a patient's teeth and gums, allowing them to detect possible issues that may have been undetectable through conventional 2D imaging techniques. This facilitates a more accurate diagnosis and treatment strategy, guaranteeing that patients receive the most suitable and efficient care.

Three-dimensional (3D) imaging is now widely used in dentistry to improve oral health and increase diagnostic accuracy. The significance of this resides in its capacity to offer intricate and all-encompassing perspectives of oral structures, surpassing the constraints of conventional two-dimensional imaging approaches. 3D imaging has a significant benefit in providing a more accurate evaluation of dental anatomy, allowing dentists to identify dental caries, periodontal illnesses, and dental anomalies more precisely. 3D imaging enables a comprehensive assessment



of complicated dental diseases by offering a three-dimensional depiction of the mouth cavity. This leads to more precise diagnosis and treatment planning.

Moreover, 3D imaging is essential for improving patient care and treatment results. By utilizing its capacity to acquire intricate images of oral structures from many perspectives, dentists can enhance their visualization of the spatial correlations among distinct anatomical features. This extensive comprehension facilitates the creation of individualized treatment strategies customized to address the specific oral health requirements of each patient.



- Appukkuttan, D. P. (2016). Strategies to manage patients with dental anxiety and dental phobia: literature review. *Clinical, cosmetic and investigational dentistry*, 35-50.
- Goldschmidt, S. (2023). Advanced Imaging of the Oral Cavity. *Veterinary Oral Diagnostic Imaging*, 373.
- Hegde, S., Ajila, V., Kamath, J. S., Babu, S., Pillai, D. S., & Nair, S. M. (2018). Importance of cone-beam computed tomography in dentistry: An update. *SRM Journal of Research in Dental Sciences*, 9(4), 186-190.
- Hung, K., Yeung, A. W. K., Tanaka, R., & Bornstein, M. M. (2020). Current applications, opportunities, and limitations of AI for 3D imaging in dental research and practice. *International Journal of Environmental Research and Public Health*, 17(12), 4424.
- Jacobs, R., Salmon, B., Codari, M., Hassan, B., & Bornstein, M. M. (2018). Cone beam computed tomography in implant dentistry: recommendations for clinical use. *BMC oral health*, 18, 1-16.
- Kaasalainen, T., Ekholm, M., Siiskonen, T., & Kortensniemi, M. (2021). Dental cone beam CT: An updated review. *Physica Medica*, 88, 193-217.
- Maken, P., & Gupta, A. (2023). 2D-to-3D: a review for computational 3D image reconstruction from X-ray images. *Archives of Computational Methods in Engineering*, 30(1), 85-114.
- Nasseh, I., & Al-Rawi, W. (2018). Cone beam computed tomography. *Dental Clinics*, 62(3), 361-391.
- Pauwels, R. (2020). History of dental radiography: Evolution of 2D and 3D imaging modalities. *Med Phys Int*, 8(1), 235-77.
- Sankar, A., & Ramesh, S. (2021). 2D Vs 3D Imaging in Endodontics-A Review. *Annals of the Romanian Society for Cell Biology*, 25(6), 1541-1549.
- Shaikh, S., Nahar, P., & Ali, H. M. (2021). Current perspectives of 3d printing in dental applications. *Brazilian Dental Science*, 24(3).



Shan, T., Tay, F. R., & Gu, L. (2021). Application of artificial intelligence in dentistry. *Journal of dental research*, 100(3), 232-244.

Shokri, A., Ramezani, K., Vahdatinia, F., Karkazis, E., & Tayebi, L. (2019). 3D Imaging in Dentistry and Oral Tissue. *Applications of Biomedical Engineering in Dentistry*, 43.

Steffen, T., Winklhofer, S., Starz, F., Wiedemeier, D., Ahmadli, U., & Stadlinger, B. (2022). Three-dimensional perception of cinematic rendering versus conventional volume rendering using CT and CBCT data of the facial skeleton. *Annals of Anatomy-Anatomischer Anzeiger*, 241, 151905.

Suese, K. (2020). Progress in digital dentistry: The practical use of intraoral scanners. *Dental Materials Journal*, 39(1), 52-56.

Venkatesh, E., & Elluru, S. V. (2017). Cone beam computed tomography: basics and applications in dentistry. *Journal of istanbul University faculty of Dentistry*, 51(3 Suppl 1), 102-121.