

## The impact of Nutrition on the risk of chronic diseases

SULTAN OMAR ALTUWAYRIB

Clinical Nutrition

ABDULLAH TURKI ALSAQABI

Pharmacy

Ayoub qublan alharbi

Clinical nutrition

IBRAHIM ABDULAZIZ ALMOHSEN

ALI ASSAF ALASSAF

Clinical Nutritionist

Ahmed Abdrabulridhaa Alalawi

Nutrition Specialist

IBRAHIM ABDULLAH ALREHAILI

Nutrition Specialist

Ali Abdullah Bu Khader

## **Introduction:**

Amidst a time when chronic illnesses provide a substantial worldwide health challenge, comprehending the complex connection between diet and the risk of disease has become of utmost importance. Chronic diseases, often known as long-term conditions requiring continuous medical treatment, encompass ailments like cardiovascular disorders, malignancies, diabetes mellitus, and Alzheimer's disease. Furthermore, these disorders are among the primary factors contributing to mortality on a global scale. Although genetic predispositions and environmental variables contribute to the development of diseases, there is increasing evidence highlighting the significant influence of nutrition on the risk of chronic diseases (Gropper, 2023).

Nutrition is a fundamental aspect of health that significantly impacts physiological processes, immunological function, and metabolic pathways. Our foods contain vital nutrients, antioxidants, and bioactive chemicals that can support good health or make persons more susceptible to disease. Nutrition plays a significant role in the onset and progression of certain chronic ailments, such as obesity, cardiovascular disease, hypertension, stroke, type 2 diabetes, metabolic syndrome, certain malignancies, and maybe some neurological disorders. Furthermore, the presence of a certain medical disease frequently leads to the emergence of additional medical conditions. For instance, obesity or excessive body weight/fat might increase the likelihood of developing conditions such as type 2 diabetes, hypertension, metabolic syndrome, and certain malignancies (Ojo, & Adegboye, 2023).

The diet is a risk factor that can be altered or adjusted. The dietary composition, encompassing the ratios and categories of macronutrients and micronutrients, significantly influences the development of chronic illnesses. Assessments of the impact of nutrition on chronic illnesses rely on the influence of diet on factors such as body weight, body composition, glycemic and insulin excursions, and vascular remodelling (Cena, & Calder, 2020).

### **Dietary Patterns:**

Studying various dietary patterns and their effects on chronic diseases provides essential knowledge for preventing and managing them.

- **The Mediterranean Diet:**

The Mediterranean diet is distinguished by its elevated intake of fruits, vegetables, whole grains, legumes, nuts, seeds, and olive oil. This pattern is characterized by a moderate diet of fish, poultry, and dairy items while limiting the intake of red meat and sweets. The Mediterranean diet is characterized by a relatively high intake of healthy fats, specifically monounsaturated and polyunsaturated fats derived from olive oil, almonds, and fish. It also includes a moderate amount of protein and a low to moderate amount of carbs. The plant-based foods in it offer a rich array of micronutrients, including vitamins (A, C, E, K, and B vitamins), minerals (calcium, magnesium, potassium), and antioxidants (polyphenols, flavonoids) (Sikalidis, et al.2021).

The Mediterranean diet is linked to a decreased likelihood of developing chronic illnesses, such as cardiovascular diseases, type 2 diabetes, specific types of cancer, and neurological disorders. The preventive properties of this substance are likely due to its significant consumption of antioxidants and anti-inflammatory foods (Ventriglio, et al.2020).

- **The DASH (Dietary Approaches to Stop Hypertension) Diet:**

The DASH diet prioritizes the consumption of fruits, vegetables, whole grains, and low-fat dairy products, while restricting the intake of sodium, saturated fats, and added sweets. The food contains a high amount of complex carbohydrates, a moderate amount of protein, and a low amount of fat, particularly saturated fat. The DASH diet supplies vital micronutrients such as potassium, calcium, magnesium, and fiber through its consumption of plant-based foods (Konikowska, et al.2023).

The DASH diet can decrease blood pressure and mitigate the likelihood of hypertension, cardiovascular ailments, stroke, and other associated disorders. The focus on foods that are high

in nutrients and the limitation of sodium are important factors in the cardiovascular advantages of this diet.

- **Western Diet:**

The Western diet is distinguished by a substantial consumption of processed foods, refined sugars, harmful fats (saturated and trans fats), red and processed meats, sugary beverages, and a limited intake of fruits, vegetables, and whole grains.

Macronutrients typically consist of a significant amount of refined carbs, harmful fats, and protein, often derived from animal sources. The Western diet frequently lacks vital micronutrients such as vitamins (e.g., vitamin C, vitamin D) and minerals (e.g., potassium, magnesium, calcium) since it heavily relies on processed and nutritionally inadequate foods. The Western diet is highly correlated with a heightened susceptibility to obesity, type 2 diabetes, cardiovascular illnesses, hypertension, certain malignancies, and other long-term ailments. The excessive presence of harmful fats, carbohydrates, and processed substances in it leads to systemic inflammation, oxidative stress, and metabolic dysfunction (Rakhra, et al.2020).

- **The role of specific nutrients in chronic disease prevention or development:**

- **Carbohydrates:**

Carbohydrates function as the main fuel source for the body, especially for the brain's functioning and physical activities. The selection and caliber of carbohydrates ingested can impact the susceptibility to chronic illnesses. Consuming large amounts of processed carbs, such as sweetened drinks, white bread, and pastries, is linked to a higher likelihood of developing obesity, type 2 diabetes, cardiovascular illnesses, and some types of cancer. On the other hand, the consumption of complex carbohydrates derived from whole grains, fruits, vegetables, and legumes offers vital nutrients, fiber, and antioxidants, all of which contribute to improved health outcomes and the avoidance of diseases (Gropper, 2023).

- **Fats:**

- **Saturated fats:** Animal products and certain plant-based oils are the main sources of saturated fats. They have a crucial role in hormone synthesis, maintenance of cell membrane integrity, and facilitation of the absorption of vitamins that are soluble in fat. Elevated consumption of saturated fats is associated with a heightened susceptibility to cardiovascular ailments, specifically coronary artery disease and stroke. Consuming diets that are high in saturated fats can elevate levels of LDL cholesterol and contribute to inflammation and malfunction of the endothelium.
- **Unsaturated Fats:** Plant-based oils, nuts, seeds, and fatty fish are the primary sources of unsaturated fats, which include monounsaturated and polyunsaturated fats. They have a vital impact on cardiovascular health, regulation of inflammation, and cognitive function. Diets that contain a significant amount of monounsaturated and polyunsaturated fats, such as the Mediterranean diet, have been linked to a reduced likelihood of developing cardiovascular illnesses, type 2 diabetes, and some types of cancer. These fats have the potential to enhance lipid profiles, mitigate inflammation, and support vascular health (Meijaard, et al.2022).

- **Proteins:**

Proteins have a crucial role in the construction and restoration of tissues, the production of enzymes and hormones, and the reinforcement of immunological function. Sufficient protein consumption is crucial for preserving muscle mass, promoting bone health, and supporting metabolic function. Nevertheless, consuming an excessive amount of protein, particularly from animal sources that are rich in saturated fats, can potentially elevate the likelihood of developing cardiovascular disorders and specific types of cancer. Legumes, nuts, seeds, and tofu are plant-based protein sources that provide extra health advantages because of their high fiber and phytonutrient levels (Shlisky, et al.2017).

- **Vitamins and Minerals:**

Vitamins and minerals are crucial micronutrients that have various functions in metabolism, immunological function, antioxidant defense, and cellular signaling. Inadequacies or deficiencies in vitamins (such as vitamin D, vitamin C, vitamin E) and minerals (such as calcium, magnesium, potassium) are linked to a higher likelihood of developing chronic conditions like osteoporosis, cardiovascular illnesses, immunological disorders, and some types of cancer. On the other hand, consuming sufficient amounts of these micronutrients either through a well-balanced diet or by taking supplements can promote overall health and lower the risk of diseases.

- **The role of the gut microbiota in mediating the relationship between nutrition and chronic diseases:**

- **Composition and Function of the Gut Microbiome:**

The gut microbiota consists of numerous microorganisms, such as bacteria, viruses, fungus, and archaea, that live in the gastrointestinal system. These microorganisms have essential functions in the processing of nutrients, regulation of the immune system, and interactions between the host and the microorganisms. The gut microbiome's composition is controlled by a range of factors, including as genetics, environment, lifestyle, and particularly, nutrition. The presence of dietary components, such as fiber, carbs, lipids, and polyphenols, influences the variety and quantity of gut microbial species (Vijay, & Valdes, 2022).

- **Impact of Dietary Factors on Gut Microbiota:**

- **Fiber and Complex Carbohydrates:** Consuming diets rich in fiber and complex carbohydrates stimulates the proliferation of advantageous microorganisms, such as Bifidobacteria and Lactobacilli. These microorganisms ferment dietary fiber, converting it into short-chain fatty acids (SCFAs) such as butyrate, acetate, and propionate. Short-chain fatty acids (SCFAs) have important functions in maintaining gut health, regulating immunological function, and controlling metabolism (Nova, et al.2022).
- **Plant-Based Foods:** Consuming plant-based foods, such as fruits, vegetables, whole grains, and legumes, can enhance the health of the gut microbiome by providing prebiotic

fibers and phytonutrients that promote diversity and resilience. Plant-based meals contain polyphenols, which possess antibacterial and anti-inflammatory characteristics that promote gut health.

- **Unhealthy dietary patterns:** such as consuming processed foods, saturated fats, added sugars, and artificial additives, can disturb the gut microbiota, causing an imbalance in the microbial community and inflammation. These dietary patterns can promote the proliferation of harmful germs and decrease the variety of microorganisms present (Vijay, & Valdes, 2022).
- **Implications for Disease Susceptibility:**
  - **Metabolic Disorders:** such as obesity, insulin resistance, and type 2 diabetes, have been associated with changes in the composition and function of the gut microbiota. Dysbiosis can hinder the process of energy metabolism, elevate intestinal permeability, and contribute to chronic low-level inflammation, all of which are variables that increase the likelihood of developing metabolic disorders.
  - **Inflammatory conditions:** The gut microbiota has a vital role in regulating immune responses and pathways related to inflammation. Imbalances in gut bacteria and damage to the protective lining of the gut can initiate immune-related inflammatory disorders such as inflammatory bowel disease (IBD), celiac disease, and rheumatoid arthritis.
  - **Cardiovascular Health:** Emerging data indicates that gut microbial metabolites, specifically short-chain fatty acids (SCFAs), have the potential to impact cardiovascular health by controlling lipid metabolism, blood pressure, and endothelial function. Unhealthy food patterns can lead to dysbiosis, which in turn can contribute to systemic inflammation and atherosclerosis.
- ✚ **Role of Nutrition in Weight Management:**
  - **Caloric Balance:** Weight management is fundamentally governed by the balance between energy intake (calories consumed) and energy expenditure (calories burned). Dietary choices significantly impact this balance.

- **Macronutrient Composition:** The type and quality of macronutrients consumed, such as carbohydrates, fats, and proteins, influence satiety, metabolic rate, and body composition. Diets high in refined carbohydrates and unhealthy fats are associated with weight gain, while diets rich in fiber, lean proteins, and healthy fats promote satiety and weight loss.
- **Obesity and Chronic Disease Risk:**
  - **Type 2 Diabetes:** Obesity is a major risk factor for insulin resistance and the development of type 2 diabetes. Excess adipose tissue, especially visceral fat, promotes inflammation and disrupts insulin signaling, leading to impaired glucose metabolism and elevated blood sugar levels.
  - **Cardiovascular Diseases:** Obesity contributes to the development of cardiovascular diseases, including hypertension, dyslipidemia, coronary artery disease, and stroke. Adipose tissue releases inflammatory cytokines and adipokines, which promote atherosclerosis, endothelial dysfunction, and thrombosis.
  - **Certain Cancers:** Obesity is associated with an increased risk of several cancers, including breast, colorectal, prostate, and endometrial cancer. Adipose tissue produces hormones and growth factors that promote tumor growth, angiogenesis, and metastasis. Additionally, chronic inflammation and insulin resistance associated with obesity create a tumor-promoting microenvironment.
- **Dietary Factors Contributing to Obesity:**
  - **High-Calorie, Low-Nutrient Foods:** Consumption of energy-dense foods high in refined sugars, unhealthy fats, and processed ingredients contributes to excessive calorie intake and weight gain. These foods often lack essential nutrients and fail to provide satiety, leading to overeating (Hall, et al.2019).
  - **Portion Sizes:** Large portion sizes, frequent snacking, and consumption of calorie-laden beverages contribute to excessive calorie intake and weight gain. Mindless eating and environmental cues also play a role in overconsumption.
  - **Sedentary Lifestyle:** In addition to dietary factors, a sedentary lifestyle characterized by limited physical activity exacerbates the risk of obesity. Insufficient exercise reduces



#### **Genetic Variations and Nutrient Metabolism:**

Gene-diet interactions constitute a significant determinant of an individual's susceptibility to chronic diseases, profoundly impacting nutrient metabolism, response to dietary interventions, and disease risk. Genetic variations intricately influence how nutrients are metabolized and utilized within the body. Enzymes, transporters, and receptors involved in nutrient absorption and metabolism can be subject to genetic variations, leading to diverse metabolic responses among individuals. For instance, genetic variants related to carbohydrate, lipid, and vitamin metabolism can influence nutrient utilization efficiency and metabolic responses to dietary intake, thus contributing to inter-individual variability in nutritional requirements and metabolic health (Heianza, & Qi, 2017).

Genetic variations play a pivotal role in shaping an individual's response to dietary interventions aimed at preventing or managing chronic diseases. Personalized nutrition strategies leverage genetic information to tailor dietary recommendations based on an individual's genetic profile. By considering genetic factors, such as variants associated with impaired carbohydrate metabolism or obesity, personalized dietary interventions can optimize effectiveness in achieving health goals, such as weight loss, blood sugar control, lipid management, and blood pressure regulation.

#### **Enhancing the Role of Nutrition in reducing chronic diseases:**

- **Education and Awareness:** Increase public awareness about the link between nutrition and chronic diseases through educational campaigns, community outreach programs, and media initiatives. Empower individuals with knowledge about healthy eating habits, the importance of nutrient-rich foods, and the consequences of poor dietary choices on long-term health.
- **Policy Changes:** Advocate for policy changes that support healthy eating environments, such as implementing nutrition standards in schools, regulating food marketing to children, and promoting access to affordable, nutritious foods in underserved communities. Government initiatives can also include subsidies for fruits, vegetables, and whole grains to make healthy choices more accessible (Alwarith, et al.2020).



## **Nutrition Labeling and Transparency:** Promote transparent nutrition labeling and easy-to-understand food labels to help consumers make informed choices. Highlighting key nutritional information, such as calorie content, macronutrient composition, and added sugars, enables individuals to select healthier options and monitor their dietary intake more effectively.

- **Food Industry Reformulation:** Encourage the food industry to reformulate products to reduce levels of sodium, added sugars, unhealthy fats, and artificial additives. Collaboration with food manufacturers can lead to the development of healthier food options that align with dietary guidelines and support population-wide improvements in nutrition (Onyeaka, et al.2023).
- **Incorporation of Behavioral Economics:** Apply principles of behavioral economics to encourage healthier food choices. Strategies such as placing healthier options at eye level, offering discounts on nutritious foods, and utilizing portion control packaging can nudge individuals towards making healthier dietary decisions without restricting choice (Alwarith, et al.2020).
- **Worksite Wellness Programs:** Implement worksite wellness programs that promote healthy eating and physical activity among employees. Provide access to nutritious snacks, offer nutrition education workshops, and incentivize healthy behaviors to create a supportive environment conducive to improving dietary habits and reducing chronic disease risk.
- **Technology and Digital Tools:** Harness the power of technology and digital tools to deliver personalized nutrition advice, track dietary intake, and provide real-time feedback to individuals seeking to improve their eating habits. Mobile apps, online platforms, and wearable devices can facilitate behaviour change and promote long-term adherence to healthy dietary patterns (Scarry, et al.2022).

## **Conclusion:**

The correlation between nutrition and the likelihood of developing chronic diseases is unquestionable, as dietary decisions significantly influence long-term health results. As we explore the intricate relationship between diet, genetics, lifestyle, and the risk of chronic diseases, it becomes more and more clear that we require comprehensive approaches to enhance nutrition and foster greater health for everyone. By implementing education programs, enacting policy changes, reformulating industry practices, and implementing community-based interventions, we may empower individuals to make well-informed food choices and embrace healthy eating habits. Through the utilization of technological developments, personalized nutrition, and interdisciplinary teamwork, we have the ability to customize therapies to specifically cater to the distinct requirements of individuals and tackle the root causes of chronic diseases.

## References:

- Alwarith, J., Kahleova, H., Crosby, L., Brooks, A., Brandon, L., Levin, S. M., & Barnard, N. D. (2020). The role of nutrition in asthma prevention and treatment. *Nutrition reviews*, 78(11), 928-938.
- Cena, H., & Calder, P. C. (2020). Defining a healthy diet: evidence for the role of contemporary dietary patterns in health and disease. *Nutrients*, 12(2), 334.
- Gropper, S. S. (2023). The role of nutrition in chronic disease. *Nutrients*, 15(3), 664.
- Hall, K. D., Ayuketah, A., Brychta, R., Cai, H., Cassimatis, T., Chen, K. Y., ... & Zhou, M. (2019). Ultra-processed diets cause excess calorie intake and weight gain: an inpatient randomized controlled trial of ad libitum food intake. *Cell metabolism*, 30(1), 67-77.
- Heianza, Y., & Qi, L. (2017). Gene-diet interaction and precision nutrition in obesity. *International journal of molecular sciences*, 18(4), 787.
- Konikowska, K., Bombała, W., Szuba, A., Różańska, D., & Regulska-Ilow, B. (2023). A high-quality diet, as measured by the DASH score, is associated with a lower risk of metabolic syndrome and visceral obesity. *Biomedicines*, 11(2), 317.
- Meijaard, E., Abrams, J. F., Slavin, J. L., & Sheil, D. (2022). Dietary fats, human nutrition and the environment: balance and sustainability. *Frontiers in Nutrition*, 9, 878644.
- Nova, E., Gómez-Martinez, S., & González-Soltero, R. (2022). The influence of dietary factors on the gut microbiota. *Microorganisms*, 10(7), 1368.
- Ojo, O., & Adegboye, A. R. A. (2023). The effects of nutrition on chronic conditions. *Nutrients*, 15(5), 1066.
- Onyeaka, H., Nwaiwu, O., Oibileke, K., Miri, T., & Al-Sharify, Z. T. (2023). Global nutritional challenges of reformulated food: A review. *Food science & nutrition*, 11(6), 2483-2499.
- Rakhra, V., Galappaththy, S. L., Bulchandani, S., & Cabandugama, P. K. (2020). Obesity and the western diet: How we got here. *Missouri medicine*, 117(6), 536.
- Scarry, A., Rice, J., O'Connor, E. M., & Tierney, A. C. (2022). Usage of mobile applications or mobile health technology to improve diet quality in adults. *Nutrients*, 14(12), 2437.
- Shlisky, J., Bloom, D. E., Beaudreault, A. R., Tucker, K. L., Keller, H. H., Freund-Levi, Y., ... & Meydani, S. N. (2017). Nutritional considerations for healthy aging and reduction in age-related chronic disease. *Advances in nutrition*, 8(1), 17-26.
- Sikalidis, A. K., Kelleher, A. H., & Kristo, A. S. (2021). Mediterranean diet. *Encyclopedia*, 1(2), 371-387.

- Ventriglio, A., Sancassiani, F., Contu, M. P., Latorre, M., Di Slavatore, M., Fornaro, M., & Bhugra, D. (2020). Mediterranean diet and its benefits on health and mental health: a literature review. *Clinical practice and epidemiology in mental health: CP & EMH*, 16(Suppl-1), 156.
- Vijay, A., & Valdes, A. M. (2022). Role of the gut microbiome in chronic diseases: a narrative review. *European journal of clinical nutrition*, 76(4), 489-501.